

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

REGION II

2890 WOODBRIDGE AVENUE

EDISON, NEW JERSEY 08837-3679

January 9, 2008

VIA E-MAIL AND CERTIFIED MAIL (7001 0320 0004 9929 3883)

Mary Lou Capichioni, P.G.

Director, Remediation Services

The Sherwin-Williams Company

Environmental Health and Regulatory Services

101 Prospect Avenue, N.W.

Cleveland, Ohio 44115-1075

Re: Route 561 Dump Site, Gibbsboro, New Jersey

Administrative Order on Consent: Index No. II-CERCLA-97-0105

Notice of Completion


Dear Ms. Capichioni,

In a letter dated August 16, 1999 to The Sherwin-Williams Company, the United States Environmental Protection Agency (EPA) approved the Final Report required by the Administrative Order on Consent (Order) Index No. II-CERCLA-97-0105. In accordance with Section XXII, Notice of Completion, Paragraph 99, of the Order, EPA has determined that all removal actions have been fully performed and/or satisfied in accordance with the Order, by The Sherwin-Williams Company, with the exception of continuing obligations required by the Order as noted below. Accordingly, this correspondence constitutes the Notice of Completion under this Order.

You are no longer required to submit progress reports and/or other documents in response to the above order; however, pursuant to Paragraphs 55.B.i., 55.B.iii. and 55.B.v. of the Order you are required to maintain the security system, chain link fence and silt fence at the Site and continue to submit security reports and/or associated documents to Ray Klimcsak, Remedial Project Manager of EPA's New Jersey Remediation Branch.

Should you have any questions regarding this Notice of Completion feel free to contact me at 732-321-6191 or email me at Budroe.Thomas@epa.gov. Any questions regarding ongoing operations at the Site can be directed to Mr. Ray Klimcsak at 212-637-3916 or Mr. Carl Howard, Esq., at 212-637-3216.

Sincerely,



Thomas P. Budroe
On-Scene Coordinator

cc: J. Rotola, EPA
B. Hriczko, EPA
C. Howard, EPA
R. Klimcsak, EPA
S. Jones, Weston Solutions